



Chipboard Screws

Lokgator® self-drilling Chipboard Screws have a coarse thread and fine shank to provide maximum strip-out into chipboard, MDF and soft timbers. The head has ribs moulded around the countersunk head which help remove the chipboard particles when countersinking.

COUNTERSUNK RIB HEAD – PHILLIPS DRIVE – AS3566

Part number – Gauge 8	Description	Corrosion Coating	Box Qty
AUCB81020	8-10x20 CSK CHIPB ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUCB81025	8-10x25 CSK CHIPB ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUCB81028	8-10x28 CSK CHIPB ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUCB81032	8-10x32 CSK CHIPB ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUCB81035	8-10x35 CSK CHIPB ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUCB81040	8-10x40 CSK CHIPB ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUCB81045	8-10x45 CSK CHIPB ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUCB81050	8-10x50 CSK CHIPB ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUCB81057	8-10x57 CSK CHIPB ZP PHILLIPS #2	Class 2 Zinc Yellow	500
Part number – Gauge 10			
AUCB10865	10-8x65 CSK CHIPB ZP PHILLIPS #2	Class 2 Zinc Yellow	500
AUCB10875	10-8x75 CSK CHIPB ZP PHILLIPS #2	Class 2 Zinc Yellow	500
AUCB108100	10-8x100 CSK CHIPB ZP PHILLIPS #2	Class 2 Zinc Yellow	200

Outstanding Quality, Superior Performance!

MADE FOR TRADE

COUNTERSUNK RIB HEAD – SQUARE DRIVE – AS3566

Part number – Gauge 8	Description	Corrosion Coating	Box Qty
AUCB81020SQ	8-10x20 CSK CHIPB ZP – SQUARE # 2	Class 2 Zinc Yellow	1,000
AUCB81025SQ	8-10x25 CSK CHIPB ZP – SQUARE # 2	Class 2 Zinc Yellow	1,000
AUCB81028SQ	8-10x28 CSK CHIPB ZP – SQUARE # 2	Class 2 Zinc Yellow	1,000
AUCB81032SQ	8-10x32 CSK CHIPB ZP – SQUARE # 2	Class 2 Zinc Yellow	1,000
AUCB81035SQ	8-10x35 CSK CHIPB ZP – SQUARE # 2	Class 2 Zinc Yellow	1,000
AUCB81040SQ	8-10x40 CSK CHIPB ZP – SQUARE # 2	Class 2 Zinc Yellow	1,000
AUCB81045SQ	8-10x45 CSK CHIPB ZP – SQUARE # 2	Class 2 Zinc Yellow	1,000
AUCB81050SQ	8-10x50 CSK CHIPB ZP – SQUARE # 2	Class 2 Zinc Yellow	1,000
AUCB81057SQ	8-10x57 CSK CHIPB ZP – SQUARE # 2	Class 2 Zinc Yellow	500
Part number – Gauge 10			
AUCB10875SQ	10-8x75 CSK CHIPB ZP – SQUARE # 2	Class 2 Zinc Yellow	500
AUCB108100SQ	10-8x100 CSK CHIPB ZP – SQUARE # 2	Class 2 Zinc Yellow	200



Plasterboard Screws

Lokgator® self-drilling Plasterboard screws feature a bugle shaped head which countersinks neatly into plasterboard without crushing the core, or tearing the face paper.

BUGLE HEAD – PHILLIPS DRIVE # 2 NEEDLE POINT

For general fixing to timber and thin steel (up to 0.6mm), eg walls and ceilings, partitions, etc

Part number – Gauge 6	Description	Corrosion Coating	Box Qty
AUPB61825	6-18x25 BUG PLASTB ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUPB61830	6-18x30 BUG PLASTB ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUPB61840	6-18x40 BUG PLASTB ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
Part number – Gauge 7			
AUPB71650	7-16x50 BUG PLASTB ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
Part number – Gauge 8			
AUPB81560	8-15x60 BUG PLASTB ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUPB81575	8-15x75 BUG PLASTB ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000

BUGLE HEAD – PHILLIPS DRIVE # 2 TEK SCREW

For fixing plasterboard to steel from 0.8mm to 2.5mm thickness









Part number – Gauge 6	Description	Corrosion Coating	Box Qty
AUPB61825TK	6-18x25 BUG PLASTB TK ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUPB61830TK	6-18x30 BUG PLASTB TK ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUPB61845TK	6-18x45 BUG PLASTB TK ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000



Timber Screws

Lokgator® self-drilling timber screws are suitable for fixing into timber and thin steel. They are available in a variety of finishes and unique product features to suit a wide range of environmental conditions.

Selection Guide

Wafer Head Suitable for jobs needing a low profile head, e.g., metal deck clips, electrical fittings, signs, etc.		Pan Head Suitable for general fixing to Timber, e.g., brackets, fittings, etc.	
Countersunk Head Suitable for jobs requiring a flush finish, e.g., furniture, hinges, brackets, etc.		Countersunk Rib Head Suitable for jobs requiring a flush finish, e.g., furniture, flooring, etc.	
Self-Embedding Head Suitable for general fixing to Timber, e.g., walls, wet area linings, particleboard flooring to timber joists, etc.		Bugle Head Batten Suitable for fixing roofing battens to timber rafters or fastening heavy timbers where a flush finish is required, e.g., fencing, furniture, pergolas, boardwalks, etc.	
Hexagon Head with Seal Suitable for crest fixing roofing profiles to timber battens and valley fixing wall cladding		Hexagon Head - No Seal Suitable for fixing timber or thin steel, e.g., furniture, pergolas, gates and fences, etc.	

WAFER HEAD

Part number – Gauge 10	Description	Corrosion Coating	Box Qty
AUWAF101225T17	10-12x25 WAF T17 ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUWAF101235T17	10-12x35 WAF T17 ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUWAF101245T17	10-12x45 WAF T17 ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000

PAN HEAD

Part number – Gauge 8	Description	Corrosion Coating	Box Qty
AUPAN81520T17	8-15x20 PAN T17 ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000

COUNTERSUNK HEAD

Part number – Gauge 6	Description	Corrosion Coating	Box Qty
AUCSK61820T17	6-18x20 CSK T17 ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUCSK61825T17	6-18x25 CSK T17 ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
Part number – Gauge 8			
AUCSK81520T17	8-15x20 CSK T17 ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUCSK81525T17	8-15x25 CSK T17 ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
Part number – Gauge 10			
AUCSK101230T17	10-12x30 CSK T17 ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUCSK101240T17	10-12x40 CSK T17 ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUCSK101250T17	10-12x50 CSK T17 ZP PHILLIPS #2	Class 2 Zinc Yellow	500
AUCSK101275T17	10-12x75 CSK T17 ZP PHILLIPS #2	Class 2 Zinc Yellow	500

COUNTERSUNK RIB HEAD

Part number – Gauge 8	Description	Corrosion Coating	Box Qty
AUCSK81840T17	8-18x40 CSK T17 ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000

SELF EMBEDDING HEAD

Part number – Gauge 8	Description	Corrosion Coating	Box Qty
AUSHE81830T17	8-18x30 SHE T17 ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUSHE81840T17	8-18x40 SHE T17 ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000
AUSHE81845T17	8-18x45 SHE T17 ZP PHILLIPS #2	Class 2 Zinc Yellow	1,000

BUGLE BATTEN HEAD

Part number – Gauge 14	Description	Corrosion Coating	Box Qty
AUBBH141050T17	14-10x50 BUGLE BATTEN HEX 5MM	Class 2 Zinc Yellow	1,000
AUBBH141070T17	14-10x70 BUGLE BATTEN HEX 5MM	Class 2 Zinc Yellow	500
AUBBH141075T17	14-10x75 BUGLE BATTEN HEX 5MM	Class 2 Zinc Yellow	500
AUBBH141085T17	14-10x85 BUGLE BATTEN HEX 5MM	Class 2 Zinc Yellow	500
AUBBH1410100T17	14-10x100 BUGLE BATTEN HEX 5MM	Class 2 Zinc Yellow	500
AUBBH1410125T17	14-10x125 BUGLE BATTEN HEX 5MM	Class 2 Zinc Yellow	250
AUBBH1410150T17	14-10x150 BUGLE BATTEN HEX 5MM	Class 2 Zinc Yellow	250

HEX HEAD – NO SEAL (FULL/PART THREAD)

Part number – Gauge 10	Description	Corrosion Coating	Box Qty
AUHEX101225T17	10-12x25 HEX T17	Class 2 Zinc Yellow	1,000
AUHEX101230T17	10-12x30 HEX T17	Class 2 Zinc Yellow	1,000
Part number – Gauge 12			
AUHEX121125T17	12-11x25 HEX T17	Class 2 Zinc Yellow	1,000
AUHEX121140T17	12-11x40 HEX T17	Class 2 Zinc Yellow	1,000
AUHEX121150T17	12-11x50 HEX T17 – PART THREAD	Class 2 Zinc Yellow	1,000
Part number – Gauge 14			
AUHEX141025T17	14-10x25 HEX T17 – PART THREAD	Class 2 Zinc Yellow	1,000
AUHEX141050T17	14-10x50 HEX T17 – PART THREAD	Class 2 Zinc Yellow	1,000
AUHEX141065T17	14-10x65 HEX T17 – PART THREAD	Class 2 Zinc Yellow	500
AUHEX141075T17	14-10x75 HEX T17 – PART THREAD	Class 2 Zinc Yellow	500
AUHEX141090T17	14-10x90 HEX T17 – PART THREAD	Class 2 Zinc Yellow	500
AUHEX1410100T17	14-10x100 HEX T17 – PART THREAD	Class 2 Zinc Yellow	500
AUHEX1410125T17	14-10x125 HEX T17 – PART THREAD	Class 2 Zinc Yellow	250
AUHEX1410150T17	14-10x150 HEX T17 – PART THREAD	Class 2 Zinc Yellow	250

Outstanding Quality, Superior Performance!

MADE FOR TRADE

HEX HEAD – WITH SEAL (FULL/PART THREAD)

Part number – Gauge 10	Description	Corrosion Coating	Box Qty
AUHEX101225T17W	10-12x25 HEX T17 SEAL	Class 2 Zinc Yellow	1,000
AUHEX101230T17W	10-12x30 HEX T17 SEAL	Class 2 Zinc Yellow	1,000
Part number – Gauge 12			
AUHEX121125T17W	12-11x25 HEX T17 SEAL	Class 2 Zinc Yellow	1,000
AUHEX121145T17W	12-11x45 HEX T17 SEAL – PART THREAD	Class 2 Zinc Yellow	1,000
Part number – Gauge 14			
AUHEX141025T17W	14-10x25 HEX T17 SEAL – PART THREAD	Class 2 Zinc Yellow	1,000
AUHEX141050T17W	14-10x50 HEX T17 SEAL – PART THREAD	Class 2 Zinc Yellow	1,000
AUHEX141065T17W	14-10x65 HEX T17 SEAL – PART THREAD	Class 2 Zinc Yellow	500
AUHEX141075T17W	14-10x75 HEX T17 SEAL – PART THREAD	Class 2 Zinc Yellow	500
AUHEX141090T17W	14-10x90 HEX T17 SEAL – PART THREAD	Class 2 Zinc Yellow	500
AUHEX1410100T17W	14-10x100 HEX T17 SEAL – PART THREAD	Class 2 Zinc Yellow	500
AUHEX1410125T17W	14-10x125 HEX T17 SEAL – PART THREAD	Class 2 Zinc Yellow	250
AUHEX1410150T17W	14-10x150 HEX T17 SEAL – PART THREAD	Class 2 Zinc Yellow	250



Threaded Rod

Precision engineered and built to the highest quality standards. Available in a wide range of size and grades, we have units ready to ship or can custom build to meet your building/construction project requirements. All the products are tested in Australia by NATA certified quality assurance screening.

Part number	Diameter	Length	Material	Plating	Property Class	Options
AUTR3100	M3	1M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR4100	M4	1M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR5100	M5	1M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR6100	M6	1M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR10100	M10	1M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR12100	M12	1M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR14100	M14	1M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR16100	M16	1M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR18100	M18	1M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR20100	M20	1M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR24100	M24	1M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR30100	M30	1M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR33100	M33	1M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR39100	M39	1M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR42100	M42	1M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR48100	M48	1M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR56100	M56	1M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR64100	M64	1M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,

Outstanding Quality, Superior Performance!

MADE FOR TRADE

Part number	Diameter	Length	Material	Plating	Property Class	Options
AUTR8300	M8	3M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR10300	M10	3M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR12300	M12	3M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR16300	M16	3M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR20300	M20	3M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR24300	M24	3M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR30300	M30	3M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR36300	M36	3M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,
AUTR42300	M42	3M	Steel	Black	PC4.6	Brass, Aluminum, Stainless, High Tensile,

◇ Hot Dip Galvanise (HDG) available

◇ Z: Zinc Plate (Z/P) available



AS1252 Structural Assembly

Lokgator® AS1252 structural assembly are a complete assembly of bolt, nut and washer. Selected by those who depend on quality products installed in there project to meet the requirements of Australian Structural Standards.

Part number	Size	Length mm	Thread mm	Pack qty	Plating
AUSAM1230HDG	M12	30	20	200	Hot Dip Galvanise
AUSAM1235HDG	M12	35	25	200	Hot Dip Galvanise
AUSAM1240HDG	M12	40	30	150	Hot Dip Galvanise
AUSAM1245HDG	M12	45	30	150	Hot Dip Galvanise
AUSAM1250HDG	M12	50	30	150	Hot Dip Galvanise
AUSAM1260HDG	M12	60	30	150	Hot Dip Galvanise
AUSAM1265HDG	M12	65	30	150	Hot Dip Galvanise
AUSAM1270HDG	M12	70	30	150	Hot Dip Galvanise
AUSAM1275HDG	M12	75	30	150	Hot Dip Galvanise
AUSAM1280HDG	M12	80	30	150	Hot Dip Galvanise
AUSAM1290HDG	M12	90	30	100	Hot Dip Galvanise
AUSAM12100HDG	M12	100	30	100	Hot Dip Galvanise
AUSAM12120HDG	M12	120	36	75	Hot Dip Galvanise
AUSAM12150HDG	M12	150	36	75	Hot Dip Galvanise
AUSAM12180HDG	M12	180	36	50	Hot Dip Galvanise
AUSAM12200HDG	M12	200	36	50	Hot Dip Galvanise

Outstanding Quality, Superior Performance!

MADE FOR TRADE

Part number	Size	Length mm	Thread mm	Pack qty	Plating
AUSAM2040HDG	M20	40	23	75	Hot Dip Galvanise
AUSAM2045HDG	M20	45	28	75	Hot Dip Galvanise
AUSAM2050HDG	M20	50	33	50	Hot Dip Galvanise
AUSAM2055HDG	M20	55	43	50	Hot Dip Galvanise
AUSAM2060HDG	M20	60	46	50	Hot Dip Galvanise
AUSAM2065HDG	M20	65	46	50	Hot Dip Galvanise
AUSAM2070HDG	M20	70	46	50	Hot Dip Galvanise
AUSAM2075HDG	M20	75	46	50	Hot Dip Galvanise
AUSAM2080HDG	M20	80	46	50	Hot Dip Galvanise
AUSAM2085HDG	M20	85	46	50	Hot Dip Galvanise
AUSAM2090HDG	M20	90	46	40	Hot Dip Galvanise
AUSAM20100HDG	M20	100	46	40	Hot Dip Galvanise
AUSAM20110HDG	M20	110	46	40	Hot Dip Galvanise
AUSAM20120HDG	M20	120	46	30	Hot Dip Galvanise
AUSAM20130HDG	M20	130	52	30	Hot Dip Galvanise
AUSAM20140HDG	M20	140	52	30	Hot Dip Galvanise
AUSAM20150HDG	M20	150	52	30	Hot Dip Galvanise
AUSAM20160HDG	M20	160	52	30	Hot Dip Galvanise
AUSAM20180HDG	M20	180	52	25	Hot Dip Galvanise
AUSAM20190HDG	M20	190	52	25	Hot Dip Galvanise
AUSAM20200HDG	M20	200	52	25	Hot Dip Galvanise
AUSAM20210HDG	M20	210	65	25	Hot Dip Galvanise
AUSAM20220HDG	M20	220	65	25	Hot Dip Galvanise
AUSAM20240HDG	M20	240	65	20	Hot Dip Galvanise
AUSAM20250HDG	M20	250	100	20	Hot Dip Galvanise
AUSAM20275HDG	M20	275	100	20	Hot Dip Galvanise

Outstanding Quality, Superior Performance!

MADE FOR TRADE

AUSAM20300HDG	M20	300	100	15	Hot Dip Galvanise
AUSAM20350HDG	M20	350	120	1	Hot Dip Galvanise
AUSAM20400HDG	M20	400	120	1	Hot Dip Galvanise
AUSAM20500HDG	M20	500	120	1	Hot Dip Galvanise
AUSAM20600HDG	M20	600	120	1	Hot Dip Galvanise

Part number	Size	Length mm	Thread mm	Pack qty	Plating
AUSAM2450HDG	M24	50	29	30	Hot Dip Galvanise
AUSAM2455HDG	M24	55	34	30	Hot Dip Galvanise
AUSAM2460HDG	M24	60	39	30	Hot Dip Galvanise
AUSAM2465HDG	M24	65	44	30	Hot Dip Galvanise
AUSAM2470HDG	M24	70	49	30	Hot Dip Galvanise
AUSAM2475HDG	M24	75	54	30	Hot Dip Galvanise
AUSAM2480HDG	M24	80	54	30	Hot Dip Galvanise
AUSAM2485HDG	M24	85	54	30	Hot Dip Galvanise
AUSAM2490HDG	M24	90	54	25	Hot Dip Galvanise
AUSAM24100HDG	M24	100	54	25	Hot Dip Galvanise
AUSAM24110HDG	M24	110	54	20	Hot Dip Galvanise
AUSAM24120HDG	M24	120	54	20	Hot Dip Galvanise
AUSAM24130HDG	M24	130	60	20	Hot Dip Galvanise
AUSAM24140HDG	M24	140	60	20	Hot Dip Galvanise
AUSAM24150HDG	M24	150	60	20	Hot Dip Galvanise
AUSAM24160HDG	M24	160	60	20	Hot Dip Galvanise
AUSAM24170HDG	M24	170	60	20	Hot Dip Galvanise
AUSAM24180HDG	M24	180	60	15	Hot Dip Galvanise
AUSAM24200HDG	M24	200	60	15	Hot Dip Galvanise
AUSAM24210HDG	M24	210	73	15	Hot Dip Galvanise

Outstanding Quality, Superior Performance!

MADE FOR TRADE

Part number	Size	Length mm	Thread mm	Pack qty	Plating
AUSAM24220HDG	M24	220	73	15	Hot Dip Galvanise
AUSAM24230HDG	M24	230	73	15	Hot Dip Galvanise
AUSAM24250HDG	M24	250	73	15	Hot Dip Galvanise
AUSAM24260HDG	M24	260	120	15	Hot Dip Galvanise
AUSAM24280HDG	M24	280	120	15	Hot Dip Galvanise
AUSAM24300HDG	M24	300	120	10	Hot Dip Galvanise
AUSAM24330HDG	M24	330	120	1	Hot Dip Galvanise
AUSAM24350HDG	M24	350	120	1	Hot Dip Galvanise
AUSAM24390HDG	M24	390	120	1	Hot Dip Galvanise
AUSAM24400HDG	M24	400	120	1	Hot Dip Galvanise
AUSAM24415HDG	M24	415	120	1	Hot Dip Galvanise
AUSAM24450HDG	M24	450	120	1	Hot Dip Galvanise
AUSAM24500HDG	M24	500	120	1	Hot Dip Galvanise
AUSAM24550HDG	M24	550	120	1	Hot Dip Galvanise
AUSAM24600HDG	M24	600	120	1	Hot Dip Galvanise

Part number	Size	Length mm	Thread mm	Pack qty	Plating
AUSAM3075HDG	M30	75	50	15	Hot Dip Galvanise
AUSAM3080HDG	M30	80	55	15	Hot Dip Galvanise
AUSAM3085HDG	M30	85	60	15	Hot Dip Galvanise
AUSAM3090HDG	M30	90	65	15	Hot Dip Galvanise
AUSAM30100HDG	M30	100	66	15	Hot Dip Galvanise
AUSAM30110HDG	M30	110	66	10	Hot Dip Galvanise
AUSAM30120HDG	M30	120	66	10	Hot Dip Galvanise

Outstanding Quality, Superior Performance!

MADE FOR TRADE

Part number	Size	Length mm	Thread mm	Pack qty	Plating
AUSAM30130HDG	M30	130	72	10	Hot Dip Galvanise
AUSAM30140HDG	M30	140	72	10	Hot Dip Galvanise
AUSAM30150HDG	M30	150	72	10	Hot Dip Galvanise
AUSAM30160HDG	M30	160	72	10	Hot Dip Galvanise
AUSAM30170HDG	M30	170	72	10	Hot Dip Galvanise
AUSAM30180HDG	M30	180	72	8	Hot Dip Galvanise
AUSAM30190HDG	M30	190	72	8	Hot Dip Galvanise
AUSAM30200HDG	M30	200	72	8	Hot Dip Galvanise
AUSAM30220HDG	M30	220	85	8	Hot Dip Galvanise
AUSAM30260HDG	M30	260	85	8	Hot Dip Galvanise
AUSAM30280HDG	M30	280	100	8	Hot Dip Galvanise
AUSAM30300HDG	M30	300	100	1	Hot Dip Galvanise
AUSAM30350HDG	M30	350	120	1	Hot Dip Galvanise
AUSAM30400HDG	M30	400	120	1	Hot Dip Galvanise
AUSAM30500HDG	M30	500	120	1	Hot Dip Galvanise

Part number	Size	Length mm	Thread mm	Pack qty	Plating
AUSAM3690HDG	M36	90	60	8	Hot Dip Galvanise
AUSAM36100HDG	M36	100	70	8	Hot Dip Galvanise
AUSAM36120HDG	M36	120	78	8	Hot Dip Galvanise
AUSAM36130HDG	M36	130	84	8	Hot Dip Galvanise
AUSAM36140HDG	M36	140	84	8	Hot Dip Galvanise
AUSAM36150HDG	M36	150	84	8	Hot Dip Galvanise
AUSAM36160HDG	M36	160	84	5	Hot Dip Galvanise

Outstanding Quality, Superior Performance!

MADE FOR TRADE

Part number	Size	Length mm	Thread mm	Pack qty	Plating
AUSAM36170HDG	M36	170	84	5	Hot Dip Galvanise
AUSAM36180HDG	M36	180	84	5	Hot Dip Galvanise
AUSAM36190HDG	M36	190	84	5	Hot Dip Galvanise
AUSAM36200HDG	M36	200	84	5	Hot Dip Galvanise
AUSAM36220HDG	M36	220	97	1	Hot Dip Galvanise
AUSAM36240HDG	M36	240	97	1	Hot Dip Galvanise
AUSAM36260HDG	M36	260	97	1	Hot Dip Galvanise
AUSAM36280HDG	M36	280	100	1	Hot Dip Galvanise
AUSAM36300HDG	M36	300	100	1	Hot Dip Galvanise
AUSAM36400HDG	M36	400	120	1	Hot Dip Galvanise
AUSAM3650560HDG	W2d=	500	120	1	Hot Dip Galvanise



Hex Nut Sleeve Anchor

Lokgator® Sleeve Anchor is a pre-assembled Carbon Steel single unit sleeve anchor. It has been used in concrete, block, brick and stone. There are different head styles and also available in both Galvanised, Zinc and Stainless Steel, making them a good choice for many construction applications.

Part number	Description	Minimum Embedment Depth (mm)	Hole Diameter (mm)	Maximum Fixture Thickness (mm)	Options
AUHS0840	Sleeve Anchor Hex Nut 8mm x 40mm	35	8	5	HDG, Zinc, Stainless Steel
AUHS0865	Sleeve Anchor Hex Nut 8mm x 65mm	35	8	30	HDG, Zinc, Stainless Steel
AUHS0885	Sleeve Anchor Hex Nut 8mm x 85mm	35	8	50	HDG, Zinc, Stainless Steel
AUHS1040	Sleeve Anchor Hex Nut 10mm x 40mm	34	10	6	HDG, Zinc, Stainless Steel
AUHS1050	Sleeve Anchor Hex Nut 10mm x 50mm	40	10	10	HDG, Zinc, Stainless Steel
AUHS1060	Sleeve Anchor Hex Nut 10mm x 60mm	40	10	20	HDG, Zinc, Stainless Steel
AUHS1075	Sleeve Anchor Hex Nut 10mm x 75mm	40	10	35	HDG, Zinc, Stainless Steel
AUHS10100	Sleeve Anchor Hex Nut 10mm x 100mm	40	10	55	HDG, Zinc, Stainless Steel
AUHS1260	Sleeve Anchor Hex Nut 12mm x 60mm	50	12	10	HDG, Zinc, Stainless Steel

Outstanding Quality, Superior Performance!

MADE FOR TRADE

Part number	Description	Minimum Embedment Depth (mm)	Hole Diameter (mm)	Maximum Fixture Thickness (mm)	Options
AUHS1275	Sleeve Anchor Hex Nut 12mm x 70mm	50	12	25	HDG, Zinc, Stainless Steel
AUHS12100	Sleeve Anchor Hex Nut 12mm x 100mm	50	12	50	HDG, Zinc, Stainless Steel
AUHS12130	Sleeve Anchor Hex Nut 12mm x 130mm	50	12	80	HDG, Zinc, Stainless Steel
AUHS1665	Sleeve Anchor Hex Nut 16mm x 65mm	60	16	10	HDG, Zinc, Stainless Steel
AUHS16110	Sleeve Anchor Hex Nut 16mm x 110mm	60	16	55	HDG, Zinc, Stainless Steel

◇ Special lengths are available



Wedge Anchors

Lokgator® Wedge Anchor does not require precise hole depth or hole cleaning. It can be hammered below the surface of the concrete when no longer needed. Providing superior holding power to your construction applications. Available in both Galvanised, Zinc and Stainless Steel.

Part number	Description	Minimum Embedment Depth (mm)	Hole Diameter (mm)	Maximum Fixture Thickness (mm)	Options
AUWAMF0640	Wedge Anchor Hex Nut 6mm x 40mm	27	6	3	HDG, Zinc, Stainless Steel
AUWAMF0655	Wedge Anchor Hex Nut 6mm x 55mm	35	6	15	HDG, Zinc, Stainless Steel
AUWAMF0670	Wedge Anchor Hex Nut 6mm x 70mm	35	6	30	HDG, Zinc, Stainless Steel
AUWAMF0695	Wedge Anchor Hex Nut 6mm x 95mm	35	6	55	HDG, Zinc, Stainless Steel
AUWAMF0850	Wedge Anchor Hex Nut 8mm x 50mm	35	8	10	HDG, Zinc, Stainless Steel
AUWAMF0865	Wedge Anchor Hex Nut 8mm x 65mm	40	8	20	HDG, Zinc, Stainless Steel
AUWAMF0880	Wedge Anchor Hex Nut 8mm x 80mm	40	8	35	HDG, Zinc, Stainless Steel
AUWAMF0895	Wedge Anchor Hex Nut 8mm x 95mm	40	8	50	HDG, Zinc, Stainless Steel
AUWAMF08120	Wedge Anchor Hex Nut 8mm x 120mm	40	8	60	HDG, Zinc, Stainless Steel

Outstanding Quality, Superior Performance!

MADE FOR TRADE

Part number	Description	Minimum Embedment Depth (mm)	Hole Diameter (mm)	Maximum Fixture Thickness (mm)	Options
AUWAMF08150	Wedge Anchor Hex Nut 8mm x 150mm	40	8	75	HDG, Zinc, Stainless Steel
AUWAMF08165	Wedge Anchor Hex Nut 8mm x 165mm	40	8	135	HDG, Zinc, Stainless Steel
AUWAMF08220	Wedge Anchor Hex Nut 8mm x 220mm	40	8	175	HDG, Zinc, Stainless Steel
AUWAMF1065	Wedge Anchor Hex Nut 10mm x 65mm	40	10	15	HDG, Zinc, Stainless Steel
AUWAMF1080	Wedge Anchor Hex Nut 10mm x 80mm	50	10	20	HDG, Zinc, Stainless Steel
AUWAMF1095	Wedge Anchor Hex Nut 10mm x 95mm	50	10	35	HDG, Zinc, Stainless Steel
AUWAMF10115	Wedge Anchor Hex Nut 10mm x 115mm	50	10	55	HDG, Zinc, Stainless Steel
AUWAMF10120	Wedge Anchor Hex Nut 10mm x 120mm	50	10	60	HDG, Zinc, Stainless Steel
AUWAMF10130	Wedge Anchor Hex Nut 10mm x 130mm	50	10	70	HDG, Zinc, Stainless Steel
AUWAMF1280	Wedge Anchor Hex Nut 12mm x 80mm	50	12	20	HDG, Zinc, Stainless Steel
AUWAMF12100	Wedge Anchor Hex Nut 12mm x 100mm	60	12	30	HDG, Zinc, Stainless Steel
AUWAMF12120	Wedge Anchor Hex Nut 12mm x 120mm	60	12	50	HDG, Zinc, Stainless Steel
AUWAMF12135	Wedge Anchor Hex Nut 12mm x 135mm	60	12	65	HDG, Zinc, Stainless Steel

Outstanding Quality, Superior Performance!

MADE FOR TRADE

Part number	Description	Minimum Embedment Depth (mm)	Hole Diameter (mm)	Maximum Fixture Thickness (mm)	Options
AUWAMF12150	Wedge Anchor Hex Nut 12mm x 150mm	60	12	80	HDG, Zinc, Stainless Steel
AUWAMF16105	Wedge Anchor Hex Nut 16mm x 105mm	70	16	15	HDG, Zinc, Stainless Steel
AUWAMF16140	Wedge Anchor Hex Nut 16mm x 140mm	80	16	40	HDG, Zinc, Stainless Steel
AUWAMF16180	Wedge Anchor Hex Nut 16mm x 180mm	80	16	82	HDG, Zinc, Stainless Steel
AUWAMF16220	Wedge Anchor Hex Nut 16mm x 220mm	80	16	120	HDG, Zinc, Stainless Steel
AUWAMF20125	Wedge Anchor Hex Nut 20mm x 125mm	85	20	15	HDG, Zinc, Stainless Steel
AUWAMF20160	Wedge Anchor Hex Nut 20mm x 160mm	100	20	40	HDG, Zinc, Stainless Steel
AUWAMF20200	Wedge Anchor Hex Nut 20mm x 200mm	100	20	80	HDG, Zinc, Stainless Steel
AUWAMF20300	Wedge Anchor Hex Nut 20mm x 300mm	100	20	180	HDG, Zinc, Stainless Steel

◇ Special lengths are available